## maxill u-test

## QA For Sterilizer: Bowie-Dick Log

Sterilizer Unit#:	
(each sterilizer requires	its own logging form)

Date:	Date:	Date:
Load #:	Load #:	Load #:
nysical Readings:	Physical Readings:	Physical Readings:
emp:	Temp:	Temp:
ressure:	Pressure:	Pressure:
me:	Time:	Time:
Pass Fail	OPass OFail	○ Pass ○ Fail
- Type II in PCD :	CI - Type II in PCD :	CI - Type II in PCD :
Pass Fail	O Pass O Fail	○ Pass ○ Fail
itials:	Initials:	Initials:
nments:	Comments:	Comments:
ace maxill u-test BDS Test Here r in half and place end with indicators	Place maxill u-test BDS Test Here Tear in half and place end with indicators	Place maxill u-test BDS Test Here Tear in half and place end with indicator
Date:	Date:	Date:
pad #:	Load #:	Load #:
ysical Readings:	Physical Readings:	Physical Readings:
np:	Temp:	Temp:
essure:	Pressure:	Pressure:
me:	Time:	Time:
Pass	O Pass O Fail	O Pass O Fail
- Type II in PCD :	CI - Type II in PCD :	CI - Type II in PCD :
Pass	O Pass O Fail	○ Pass ○ Fail
itials:	Initials:	Initials:
omments:	Comments:	Comments:
ace maxill u-test BDS Test Here in half and place end with indicators	Place maxill u-test BDS Test Here Tear in half and place end with indicators	Place maxill u-test BDS Test Here Tear in half and place end with indicator
Date:	Date:	Date:
_oad #:	Load #:	Load #:
hysical Readings:	Physical Readings:	Physical Readings:
emp:	Temp:	Temp:
ressure:	Pressure:	Pressure:
ime:	Time:	Time:
Pass Fail	O Pass O Fail	O Pass O Fail
CI - Type II in PCD :	CI - Type II in PCD :	CI - Type II in PCD :
Pass Fail	O Pass O Fail	Pass Fail
nitials:	Initials:	Initials:
Comments:	Comments:	Comments:
lace maxill u-test BDS Test Here	Place maxill u-test BDS Test Here	Place maxill u-test BDS Test Here