

Product Description

Vinox™ by maxill is a disinfectant cleaner and sanitizer designed for use on non-porous surfaces in hospitals, nursing homes, medical and dental offices. When used as directed, maxill Vinox is effective against a broad spectrum of bacteria, including:

Pseudomonas aeruginosa	E. Coli O157:H7	Salmonella choleraesuis
Enterobacter aerogenes	Staphylococcus aureus	Streptococcus faecalis (Vancomycin resistant) (VREF)

Vinox™ by maxill is also virucidal against:

Herpes Simplex Type 2	*HIV-1(Human Immunodeficiency Virus)	Influenza A/Hong Kong
-----------------------	--------------------------------------	-----------------------

Directions for Use

To sanitize non-food contact surfaces:

Spray surface with **Vinox™** by maxill, until thoroughly wet. Let stand for 30 seconds, then wipe off. For heavily soiled areas, pre-cleaning is required prior to sanitization.

To disinfect non-porous surfaces:

First, pre-clean the surface. Spray with **Vinox™** by maxill until surface is thoroughly wet and let stand for 10 minutes before wiping. A potable water rinse is required for surfaces coming into direct contact with food.

For virucidal activity:

Wet the surface and allow to remain wet for:
Herpes Simplex 2 - 10 minutes Influenza A/Hong Kong - 60 seconds *HIV-1 - 30 seconds ... then wipe clean.

For Ultrasonic Bath Disinfectant/Cleaner:

Pour fresh **Vinox™** by maxill directly into bath chamber. Pre-clean soiled objects. Place objects into ultrasonic unit and operate for a minimum of 10 minutes, according to manufacturer's use directions. Remove objects and rinse with potable water. Replace solution daily or when solution becomes visibly dirty.

***Vinox™** by maxill kills HIV-1 on pre-cleaned environmental surfaces and objects previously soiled with blood/body fluids in health care settings such as hospitals, nursing homes, medical and dental offices. In these places, there is an expected likelihood of soiling in inanimate surfaces/objects with blood or body fluids. This soiling can be associated with the potential for transmission of Human Immunodeficiency Virus Type 1 (HIV-1).

Special instructions for cleaning and decontamination against HIV-1 on surfaces soiled with blood/body fluids

Personal Protection: When handling items soiled with blood or body fluids, use disposable gloves, gowns, masks or eye coverings.
Cleaning Procedure: Blood and other body fluids must be thoroughly cleaned from surfaces and objects before the application of **Vinox™** by maxill.
Contact Time/Concentration: **Vinox™** by maxill is effective against HIV-1 in the presence of 5% blood serum with a 30 second contact time. Contact time for disinfection of all other organisms (except Influenza A/Hong Kong) listed on this label is 10 minutes.

Disposal of Infectious Materials: Blood and other body fluids should be autoclaved and disposed of according to regulations for infectious waste disposal.

PRECAUTIONS: Causes eye irritation. Avoid contact with eyes, skin and clothing. Avoid contact with foods. Wash thoroughly with soap and water after handling.

FIRST AID TREATMENT: For eye contact, flush with water for 15 minutes. If irritation persists, contact physician immediately.

TOXICOLOGICAL INFORMATION: Probable mucosal damage may contraindicate the use of gastric lavage.

STORAGE AND DISPOSAL: Keep container closed at all times when not in use. Triple rinse the container with water. Dispose of rinse and container in accordance with municipal, provincial and federal regulations. Do not re-use container.

KEEP OUT OF REACH OF CHILDREN

maxill St. Thomas, ON, Canada, N5R 6C8
1-800-268-8633 www.maxill.com

Made in Canada



RTU READY TO USE
PRÊTE À L'EMPLOI

Vinox™

by® **maxill**

GERMICIDAL CLEANER with *Fresh Scent*

DIN 02244220

Active Ingredients:

Alkyl (40%, C12; 50%, C14; 10%, C16) dimethyl benzyl ammonium chlorides 0.3% w/w

4
LITRES

ITEM #60003



maxill

FOR INSTITUTIONAL USE ONLY / READ THE LABEL BEFORE USING