

# SAFETY DATA SHEET

	1. Identification		
Product identifier	Kwiky ET Antiseptic Hand Sanitizer Gel		
Other means of identification			
Synonyms	NPN 80098208		
Recommended use	Hand sanitizer		
Recommended restrictions	None known.		
Manufacturer/Importer/Supplier/	Distributor information		
Manufacturer			
Company name	maxill Inc.		
Address	80 Elm Street St. Thomas, ON N5R 6C8		
	Canada		
Telephone	519-631-7370		
	Fax: 519-631-3388		
E-mail	Website: maxill.com Not available.		
Emergency phone number	CHEMTEL 1-800-255-3924		
Linergency phone number	CHEMTEL (Emergency +01-813-248-058 Response)	35	
Supplier	See above.		
	2. Hazard identification		
Physical hazards	Flammable liquids	Category 2	
Health hazards	Serious eye damage/eye irritation	Category 2	
	Specific target organ toxicity, single exposure	Category 3 respiratory tract irritation	
	Specific target organ toxicity, single exposure	Category 3 narcotic effects	
Environmental hazards	Not classified.		
WHMIS 2015 defined hazards	Not classified		
Label elements			
Signal word	Danger		
Hazard statement	Highly flammable liquid and vapor. Causes serious eye irritation. May cause drowsiness or dizziness. May cause respiratory irritation.		
Precautionary statement			
Prevention	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container tightly closed. Ground and bond container and receiving equipment. Use explosion-proof electrical, ventilating and lighting equipment. Use non-sparking tools. Take action to prevent static discharges. Wear protective clothing, eye protection and face protection. Wash thoroughly after handling. Avoid breathing mist or vapor. Use only outdoors or in a well-ventilated area.		
Response	In case of fire: Use carbon dioxide, dry chemical, water spray, or foam to extinguish. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor if you feel unwell.		
Storage	Keep cool. Store in a well-ventilated place. Keep container tightly closed. Store locked up.		
Disposal	Dispose of container in accordance with local,	regional, national and international regulations.	
WHMIS 2015: Health Hazard(s) not otherwise classified (HHNOC)	None known		

WHMIS 2015: Physical Hazard(s) not otherwise classified (PHNOC)	None known
Hazard(s) not otherwise classified (HNOC)	None known.
Supplemental information	Exempt - Registered product - (NPN 80098208).
	This product is not subject to the Hazardous Products Act (HPA) Part II (Hazardous Products) as per paragraph 12(j); Schedule 1 (Non-Application of Part II). This restriction states that Part II does not apply in respect of the sale or importation of anything listed in Schedule 1 which includes any pest control product as defined in subsection 2(1) of the Pest Control Products Act, any explosive as defined in section 2 of the Explosives Act, any cosmetic, device, drug or food, as defined in section 2 of the Food and Drugs Act, any consumer product as defined in section 2 of the Canada Consumer Product Safety Act and any wood or product made of wood.
	3. Composition/Information on ingredients

secret in accordance with paragraph (i) of §1910.1200. *CANADA GHS: The exact percentage (concentration) of composition has been withheld as a trade secret. <b>4. First-aid measures</b> If symptoms develop move victim to fresh air. If symptoms persist, obtain medical attention. Product intended to be used on skin. Eye contact Not intended for ingestion. Product is naturally bitter. If vomiting occurs naturally, have victim lean forward to reduce risk of aspiration. Rinse mouth. Obtain medical attention. Most important symptoms/effects, acute and delayed General information Suitable extinguishing media Unsuitable extinguishing media Unsuitable extinguishing media Do not use water jet as an extinguisher, as this will spread the fire. Specific hazards arising from if contact (Water spray. Alcohol resistant foam. Dry chemical. Do not use water jet as an extinguisher, as this will spread the fire. Vapors may form explosive mixtures with air. Vapors may travel considerable distance to a source of ignition and flash back. During fire, gases hazardous to health may be formed. Self-contained breathing apparatus and full protective clothing must be worn in case of fire. In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can d so without fisk. Sepecific methods Sepecific	Mixture				
All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.         Composition comments       US GHS: The exact percentage (concentration) of composition has been withheld as a trade secret in accordance with paragraph (i) of §1910.1200.         **CANADA GHS: The exact percentage (concentration) of composition has been withheld as a trade secret.         4. First-aid measures         Inhalation       If symptoms develop move victim to fresh air. If symptoms persist, obtain medical attention.         Skin contact       Product intended to be used on skin.         Product intended for ingestion. Product is naturally bitter.       If voniting occurs naturally, have victim lean forward to reduce risk of aspiration. Rinse mouth. Obtain medical attention.         Most important       Symptoms/effects, acute and burred vision.         symptoms/effects, acute and belayed       If you feel unwell, seek medical advice (show the label where possible). Show this safety data sheet to the doctor in attendance. Avoid contact with eyes.         Suitable extinguishing media       Carbon dioxide. Water spray. Alcohol resistant foam. Dry chemical.         Dusuitable extinguishing media       Vapors may form explosive mixtures with air. Vapors may travel considerable distance to a source of ginition and flash back. During fire, gases hazardous to health may be formed.         Specific hazards arising from the chemical       In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you cand so without risk.         Specific meth	Chemical name	Common name and synonyms	CAS number	%	
Composition comments         US GHS: The exact percentage (concentration) of composition has been withheld as a trade secret in accordance with paragraph (i) of \$1910.1200.           *CANADA GHS: The exact percentage (concentration) of composition has been withheld as a trade secret.         *CANADA GHS: The exact percentage (concentration) of composition has been withheld as a trade secret.           Inhalation         If symptoms develop move victim to fresh air. If symptoms persist, obtain medical attention.           Skin contact         Product intended to be used on skin.           Eye contact         Avoid contact with eyes. If contact occurs, rinse thoroughly with water.           Ingestion         Not intended for ingestion. Product is naturally bitter.           If vomiting occurs naturally, have victim lean forward to reduce risk of aspiration. Rinse mouth. Obtain medical attention.           May cause drowsiness and dizziness. Headache. Nausea, vomiting.           Cause servicus eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision.           Provide general supportive measures and treat symptomatically.           General information         If you feel unwell, seek medical advice (show the label where possible). Show this safety data sheet to the doctor in attendance. Avoid contact with eyes.           Suitable extinguishing media unsuitable extinguishing media         Do not use water jet as an extinguisher, as this will spread the fire.           Specific hazards arising from the chemical back. During fire, gases hazardous to health may be formed.	Ethanol		64-17-5	60 - 80 *	
secret in accordance with paragraph (i) of §1910.1200. *CANADA GHS: The exact percentage (concentration) of composition has been withheld as a trade secret. <b>4. First-aid measures</b> If symptoms develop move victim to fresh air. If symptoms persist, obtain medical attention. Skin contact Fye contact Symptoms develop move victim to fresh air. If symptoms persist, obtain medical attention. Mot intended to be used on skin. Not intended for ingestion. Product is naturally bitter. If vomiting occurs naturally, have victim lean forward to reduce risk of aspiration. Rinse mouth. Obtain medical attention. Most important symptoms/effects, acute and blurred vision. Provide general supportive measures and treat symptomatically. Provide general supportive measures and treat symptomatically.  If you feel unwell, seek medical advice (show the label where possible). Show this safety data sheet to the doctor in attendance. Avoid contact with eyes. <b>5. Fire-fighting measures</b> Vapors may form explosive mixtures with air. Vapors may travel considerable distance to a source of ignition and flash back. During fire, gases hazardous to health may be formed. Self-contained breathing apparatus and full protective clothing must be worn in case of fire. In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can d so without risk. Use standard firefighting procedures and consider the hazards of other involved materials. General fire hazards Highly flammable liquid and vapor. Hazardous combustion Products	All concentrations are in percent by	y weight unless ingredient is a gas. Gas concer	trations are in percent by volu	me.	
Irade secret.         A. First-aid measures         Inhalation         If symptoms develop move victim to fresh air. If symptoms persist, obtain medical attention.         Skin contact       Product intended to be used on skin.         Eye contact       Avoid contact with eyes. If contact occurs, rinse thoroughly with water.         Ingestion       Not intended for ingestion. Product is naturally bitter. If vomiting occurs naturally, have victim lean forward to reduce risk of aspiration. Rinse mouth. Obtain medical attention.         Most important symptoms/effects, acute and lelayed       May cause drowsiness and dizziness. Headache. Nausea, vomiting. Causes serious eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision.         Provide general supportive measures and treat symptomatically.         Provide general supportive measures and treat symptomatically.         Bearral information       If you feel unwell, seek medical advice (show the label where possible). Show this safety data sheet to the doctor in attendance. Avoid contact with eyes.         Suitable extinguishing media         Do not use water jet as an extinguisher, as this will spread the fire.         Specific hazards arising from the chemical       Vapors may form explosive mixtures with air. Vapors may travel considerable distance to a source of ignition and flash back. During fire, gases hazardous to health may be formed.         Specific nethods       Use standard firefighting procedures and co	Composition comments			thheld as a trade	
Inhalation         If symptoms develop move victim to fresh air. If symptoms persist, obtain medical attention.           Skin contact         Product intended to be used on skin.           Eye contact         Avoid contact with eyes. If contact occurs, rinse thoroughly with water.           Ingestion         Not intended for ingestion. Product is naturally bitter. If vomiting occurs naturally, have victim lean forward to reduce risk of aspiration. Rinse mouth. Obtain medical attention.           Most important symptoms/effects, acute and blurred vision.         May cause drowsiness and dizziness. Headache. Nausea, vomiting. Causes serious eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision.           Indication of immediate medical attention and special reatment needed         Provide general supportive measures and treat symptomatically.           Suitable extinguishing media Dusuitable extinguishing media         If you feel unwell, seek medical advice (show the label where possible). Show this safety data sheet to the doctor in attendance. Avoid contact with eyes.           Suitable extinguishing media Dusuitable extinguishing media         Carbon dioxide. Water spray. Alcohol resistant foam. Dry chemical. Do not use water jet as an extinguisher, as this will spread the fire.           Specific hazards arising from the chemical         Vapors may form explosive mixtures with air. Vapors may travel considerable distance to a source of ignition and flash back. During fire, gases hazardous to health may be formed.           Specific hazards         Self-contained breathing apparatus and full protective clothing must be worm in c			entration) of composition has t	been withheld as a	
Skin contact       Product intended to be used on skin.         Eye contact       Avoid contact with eyes. If contact occurs, rinse thoroughly with water.         Ingestion       Not intended for ingestion. Product is naturally bitter. If vomiting occurs naturally, have victim lean forward to reduce risk of aspiration. Rinse mouth. Obtain medical attention.         Most important symptoms/effects, acute and delayed       May cause drowsiness and dizziness. Headache. Nausea, vomiting. Causes serious eye irritation. Symptoms may include stinging, tearing, redness, swelling, and biurred vision.         Provide general supportive measures and treat symptomatically.       Provide general supportive measures and treat symptomatically.         Seneral information       If you feel unwell, seek medical advice (show the label where possible). Show this safety data sheet to the doctor in attendance. Avoid contact with eyes.         Suitable extinguishing media       Carbon dioxide. Water spray. Alcohol resistant foam. Dry chemical.         Do not use water jet as an extinguisher, as this will spread the fire.       Vapors may form explosive mixtures with air. Vapors may travel considerable distance to a source of ignition and flash back. During fire, gases hazardous to health may be formed.         Specific hazards arising from the chemical sequipment/instructions       In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do so without risk.         Specific methods       Use standard firefighting procedures and consider the hazards of other involved materials.         Beneral fire hazards <td< td=""><td></td><td>4. First-aid measures</td><td></td><td></td></td<>		4. First-aid measures			
Avoid contact with eyes. If contact occurs, rinse thoroughly with water.         Ingestion       Not intended for ingestion. Product is naturally bitter.         If vomiting occurs naturally, have victim lean forward to reduce risk of aspiration. Rinse mouth. Obtain medical attention.         Most important symptoms/effects, acute and delayed       May cause drowsiness and dizziness. Headache. Nausea, vomiting.         Causes serious eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision.         Provide general supportive measures and treat symptomatically.         Provide general supportive measures and treat symptomatically.         Statable extinguishing media         Unsuitable extinguishing media         Specific hazards arising from the chemical Specific hozards for firefighters         Fire-fighting equipment/instructions         Specific methods General fire hazards         Autor of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do so without risk.         Self-contained breathing apparatus and full protective clothing must be worn in case of fire.         In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do so without risk.         Specific methods       Use standard firefighting procedures and consider the hazards of other involved materials.         Highly flammable liquid and vapor.       May include and are not limited to: Oxides of carbon.	Inhalation	If symptoms develop move victim to fresh air.	If symptoms persist, obtain m	edical attention.	
IngestionNot intended for ingestion. Product is naturally bitter. If vomiting occurs naturally, have victim lean forward to reduce risk of aspiration. Rinse mouth. Obtain medical attention.Most important symptoms/effects, acute and delayedMay cause drowsiness and dizziness. Headache. Nausea, vomiting. Causes serious eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision.Indication of immediate medical attention and special irreatment neededProvide general supportive measures and treat symptomatically.Beneral informationIf you feel unwell, seek medical advice (show the label where possible). Show this safety data sheet to the doctor in attendance. Avoid contact with eyes.Suitable extinguishing media unsuitable extinguishing mediaCarbon dioxide. Water spray. Alcohol resistant foam. Dry chemical. Do not use water jet as an extinguisher, as this will spread the fire.Specific hazards arising from and precautions for firefighters Fire-fighting equipment/instructionsVapors may form explosive mixtures with air. Vapors may travel considerable distance to a source of ignition and flash back. During fire, gases hazardous to health may be formed.Specific methods General fire hazardsUse standard firefighting procedures and consider the hazards of other involved materials. Highly flammable liquid and vapor.May include and are not limited to: Oxides of carbon. productsMay include and are not limited to: Oxides of carbon.	Skin contact	Product intended to be used on skin.			
If vomiting occurs naturally, have victim lean forward to reduce risk of aspiration. Rinse mouth. Obtain medical attention.Most important symptoms/effects, acute and delayedMay cause drowsiness and dizziness. Headache. Nausea, vomiting. Causes serious eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision.Indication of immediate medical attention and special treatment neededProvide general supportive measures and treat symptomatically.General informationIf you feel unwell, seek medical advice (show the label where possible). Show this safety data sheet to the doctor in attendance. Avoid contact with eyes.Suitable extinguishing media Unsuitable extinguishing mediaCarbon dioxide. Water spray. Alcohol resistant foam. Dry chemical. Do not use water jet as an extinguisher, as this will spread the fire.Specific hazards arising from and precautions for firefightersVapors may form explosive mixtures with air. Vapors may travel considerable distance to a source of ignition and flash back. During fire, gases hazardous to health may be formed.Specific methodsUse standard firefighting procedures and consider the hazards of other involved materials.General fire hazardsHighly flammable liquid and vapor. May include and are not limited to: Oxides of carbon. products	Eye contact	Avoid contact with eyes. If contact occurs, rinse thoroughly with water.			
symptoms/effects, acute and delayedCauses serious eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision.Indication of immediate medical attention and special irreatment neededProvide general supportive measures and treat symptomatically.General informationIf you feel unwell, seek medical advice (show the label where possible). Show this safety data sheet to the doctor in attendance. Avoid contact with eyes.Suitable extinguishing media Unsuitable extinguishing mediaCarbon dioxide. Water spray. Alcohol resistant foam. Dry chemical. Do not use water jet as an extinguisher, as this will spread the fire.Specific hazards arising from the chemicalVapors may form explosive mixtures with air. Vapors may travel considerable distance to a source of ignition and flash back. During fire, gases hazardous to health may be formed.Specific methodsUse standard firefighting apparatus and full protective clothing must be worn in case of fire.Fire-fighting sequipment/instructionsIn case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do so without risk.Specific methodsUse standard firefighting procedures and consider the hazards of other involved materials.Highly flammable liquid and vapor. May include and are not limited to: Oxides of carbon.	Ingestion	If vomiting occurs naturally, have victim lean forward to reduce risk of aspiration. Rinse mouth.			
medical attention and special treatment neededIf you feel unwell, seek medical advice (show the label where possible). Show this safety data sheet to the doctor in attendance. Avoid contact with eyes.General informationIf you feel unwell, seek medical advice (show the label where possible). Show this safety data sheet to the doctor in attendance. Avoid contact with eyes.Suitable extinguishing media Unsuitable extinguishing mediaCarbon dioxide. Water spray. Alcohol resistant foam. Dry chemical. Do not use water jet as an extinguisher, as this will spread the fire.Specific hazards arising from the chemicalVapors may form explosive mixtures with air. Vapors may travel considerable distance to a source of ignition and flash back. During fire, gases hazardous to health may be formed.Special protective equipment and precautions for firefightersIn case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do so without risk.Specific methods General fire hazards Hazardous combustion productsUse standard firefighting procedures and consider the hazards of other involved materials. Highly flammable liquid and vapor. May include and are not limited to: Oxides of carbon.	Most important symptoms/effects, acute and delayed	Causes serious eye irritation. Symptoms may		ess, swelling, and	
sheet to the doctor in attendance. Avoid contact with eyes.         5. Fire-fighting measures         Suitable extinguishing media       Carbon dioxide. Water spray. Alcohol resistant foam. Dry chemical.         Unsuitable extinguishing media       Do not use water jet as an extinguisher, as this will spread the fire.         Specific hazards arising from the chemical       Vapors may form explosive mixtures with air. Vapors may travel considerable distance to a source of ignition and flash back. During fire, gases hazardous to health may be formed.         Special protective equipment and precautions for firefighters       Self-contained breathing apparatus and full protective clothing must be worn in case of fire.         Fire-fighting equipment/instructions       In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can de so without risk.         Specific methods       Use standard firefighting procedures and consider the hazards of other involved materials.         Highly flammable liquid and vapor.       May include and are not limited to: Oxides of carbon.	Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treation	at symptomatically.		
Suitable extinguishing mediaCarbon dioxide. Water spray. Alcohol resistant foam. Dry chemical.Unsuitable extinguishing mediaDo not use water jet as an extinguisher, as this will spread the fire.Specific hazards arising from the chemicalVapors may form explosive mixtures with air. Vapors may travel considerable distance to a source of ignition and flash back. During fire, gases hazardous to health may be formed.Special protective equipment and precautions for firefightersSelf-contained breathing apparatus and full protective clothing must be worn in case of fire.Fire-fighting equipment/instructionsIn case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can de so without risk.Specific methods General fire hazardsUse standard firefighting procedures and consider the hazards of other involved materials.Highly flammable liquid and vapor. may include and are not limited to: Oxides of carbon.May include and are not limited to: Oxides of carbon.	General information		· · · ·	ow this safety data	
Unsuitable extinguishing mediaDo not use water jet as an extinguisher, as this will spread the fire.Specific hazards arising from the chemicalVapors may form explosive mixtures with air. Vapors may travel considerable distance to a source of ignition and flash back. During fire, gases hazardous to health may be formed.Special protective equipment and precautions for firefightersSelf-contained breathing apparatus and full protective clothing must be worn in case of fire.Fire-fighting equipment/instructionsIn case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can de so without risk.Specific methods General fire hazardsUse standard firefighting procedures and consider the hazards of other involved materials.Highly flammable liquid and vapor. May include and are not limited to: Oxides of carbon.May include and are not limited to: Oxides of carbon.		5. Fire-fighting measure	es		
mediaVapors may form explosive mixtures with air. Vapors may travel considerable distance to a source of ignition and flash back. During fire, gases hazardous to health may be formed.Special protective equipment and precautions for firefightersSelf-contained breathing apparatus and full protective clothing must be worn in case of fire. In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can de so without risk.Fire-fighting equipment/instructionsIn case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can de so without risk.Specific methods General fire hazardsUse standard firefighting procedures and consider the hazards of other involved materials.Highly flammable liquid and vapor. May include and are not limited to: Oxides of carbon.May include and are not limited to: Oxides of carbon.	Suitable extinguishing media	Carbon dioxide. Water spray. Alcohol resistar	nt foam. Dry chemical.		
the chemicalof ignition and flash back. During fire, gases hazardous to health may be formed.Special protective equipment and precautions for firefightersSelf-contained breathing apparatus and full protective clothing must be worn in case of fire.Fire-fighting equipment/instructionsIn case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can de so without risk.Specific methodsUse standard firefighting procedures and consider the hazards of other involved materials.General fire hazardsHighly flammable liquid and vapor.Hazardous combustion productsMay include and are not limited to: Oxides of carbon.	Unsuitable extinguishing media	Do not use water jet as an extinguisher, as th	is will spread the fire.		
and precautions for firefightersFire-fightingIn case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can de so without risk.Specific methodsUse standard firefighting procedures and consider the hazards of other involved materials.General fire hazardsHighly flammable liquid and vapor.Hazardous combustion productsMay include and are not limited to: Oxides of carbon.	Specific hazards arising from the chemical				
equipment/Instructionsso without risk.Specific methodsUse standard firefighting procedures and consider the hazards of other involved materials.General fire hazardsHighly flammable liquid and vapor.Hazardous combustion productsMay include and are not limited to: Oxides of carbon.	Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full p	rotective clothing must be wor	n in case of fire.	
General fire hazardsHighly flammable liquid and vapor.Hazardous combustionMay include and are not limited to: Oxides of carbon.productsProducts	Fire-fighting equipment/instructions	In case of fire and/or explosion do not breathers so without risk.	e fumes. Move containers from	n fire area if you can do	
Hazardous combustion May include and are not limited to: Oxides of carbon. products	Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.			
products	General fire hazards	Highly flammable liquid and vapor.			
6. Accidental release measures	Hazardous combustion products	May include and are not limited to: Oxides of	carbon.		
		6. Accidental release meas	sures		

Personal precautions, protective equipment and emergency procedures Keep unnecessary personnel away. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

lethods and materials for ontainment and cleaning up	Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil, etc.) away from spilled material. Take precautionary measures against static discharge. Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Following product recovery, flush area with water. Clean surface thoroughly to remove residual contamination. For waste disposal, see section 13 of the SDS.		
nvironmental precautions	Avoid discharge into drains, water co streams, ponds or public waters.	ourses or onto the ground. Do not discharge into lakes,	
	7. Handling and	storage	
recautions for safe handling	Do not handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. Avoid contact with eyes.		
conditions for safe storage, including any incompatibilities	Keep away from heat, sparks and open flame. Store in a cool, dry place out of direct sunlight. Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).		
	8. Exposure controls/Pe	rsonal protection	
ccupational exposure limits			
Canada. Alberta OELs (Occ	upational Health & Safety Code, Sch	nedule 1, Table 2) Value	
Components	Туре		
Ethanol (CAS 64-17-5)	TWA	1880 mg/m3 1000 ppm	
Safety Regulation 296/97, a	s amended)	s for Chemical Substances, Occupational Health and	
Components	Туре	Value	
Ethanol (CAS 64-17-5)	STEL	1000 ppm	
Canada. Manitoba OELs (R Components	eg. 217/2006, The Workplace Safety . Type	And Health Act) Value	
Ethanol (CAS 64-17-5)	STEL	1000 ppm	
Canada. Ontario OELs. (Co	ntrol of Exposure to Biological or Cl	nemical Agents)	
Components	Туре	Value	
Ethanol (CAS 64-17-5)	STEL	1000 ppm	
Canada. Quebec OELs. (Min Components	nistry of Labor - Regulation respecti Type	ng occupational health and safety) Value	
Ethanol (CAS 64-17-5)	TWA	1880 mg/m3 1000 ppm	
	Ls (Occupational Health and Safety		
Components	Туре	Value	
Ethanol (CAS 64-17-5)	15 minute	1250 ppm	
	8 hour	1000 ppm	
US. OSHA Table Z-1 Limits Components	for Air Contaminants (29 CFR 1910. Type	1000) Value	
Ethanol (CAS 64-17-5)	PEL	1900 mg/m3	
		1000 ppm	
US. ACGIH Threshold Limit Components	Values Type	Value	
Ethanol (CAS 64-17-5)	STEL	1000 ppm	
US. NIOSH: Pocket Guide to Components	Type	Value	
Ethanol (CAS 64-17-5)	TWA	1900 mg/m3 1000 ppm	
	No biological ovacours limits acts of		
iological limit values	No biological exposure limits noted f		
ppropriate engineering ontrols	ring Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilat or other engineering controls to maintain airborne levels below recommended exposure limits exposure limits have not been established, maintain airborne levels to an acceptable level.		

#### Individual protection measures, such as personal protective equipment

Eye/face protection	Not normally required.
Skin protection	
Hand protection	Not normally required when used as directed. When handling in large quantities or responding to emergency situations, the use of appropriate skin protection is recommended.
Other	As required by employer code.
Respiratory protection	Where exposure guideline levels may be exceeded, use an approved NIOSH respirator. Respirator should be selected by and used under the direction of a trained health and safety professional following requirements found in OSHA's respirator standard (29 CFR 1910.134), CAN/CSA-Z94.4 and ANSI's standard for respiratory protection (Z88.2).
Thermal hazards	Not applicable.

9. Physical and chemical properties
-------------------------------------

Appearance	Clear	
Physical state	Liquid.	
Form	Liquid.	
• •	Not intended for ingestion. Product is naturally bitter.	
Color	Colorless	
Odor	ethanol	
Odor threshold	Not available.	
рН	Not available.	
Melting point/freezing point	Not available.	
Initial boiling point and boiling range	172.4 °F (78 °C)	
Pour point	Not available.	
Specific gravity	Not available.	
Partition coefficient (n-octanol/water)	Not available.	
Flash point	66.2 °F (19.0 °C) Closed cup	
Evaporation rate	Not available.	
Flammability (solid, gas)	Not applicable.	
Upper/lower flammability or exp	olosive limits	
Flammability limit - lower (%)	Not available.	
Flammability limit - upper (%)	Not available.	
Explosive limit - lower (%)	Not available.	
Explosive limit - upper (%)	Not available.	
Vapor pressure	Not available.	
Vapor density	Not available.	
Relative density	0.87 g/cm <sup>3</sup>	
Solubility(ies)	Not available.	
Auto-ignition temperature	Not available.	
Decomposition temperature	Not available.	
Viscosity	25000 cPs.	
Other information		
Explosive properties	Not explosive.	
Oxidizing properties	Not oxidizing.	
	10. Stability and reactivity	

#### 10. Stability and reactivity

Reactivity	This product may react with strong oxidizing agents.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Chemical stability	Material is stable under normal conditions.
Conditions to avoid	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Do not mix with other chemicals.
Incompatible materials	Strong oxidizing agents. Acids.

11. Toxicological infor	mation
-------------------------	--------

Routes of exposure	Eye, Skin contact, Inhalation, Ingestion.
Information on likely routes of e	xposure
Ingestion	Not intended for ingestion. Product is naturally bitter. May cause stomach distress, nausea or vomiting.
Inhalation	May cause drowsiness and dizziness. Headache. Nausea, vomiting. Prolonged inhalation may be harmful.
Skin contact	No adverse effects due to skin contact are expected.
Eye contact	Causes serious eye irritation.
Symptoms related to the physical, chemical and toxicological characteristics	May cause drowsiness and dizziness. Headache. Nausea, vomiting. Causes serious eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision.

### Information on toxicological effects

Acute toxicity	Not known.		
Components	Species	Test Results	
thanol (CAS 64-17-5)			
Acute			
Dermal			
LD50	Rabbit	> 15800 mg/kg, SIDS initial assessment report	
Inhalation			
LC50	Mouse	> 60000 ppm, 60 Minutes, ECHA	
	Rat	31623 ppm, 4 Hours, HMIRA	
Oral			
LD50	Rat	12400 mg/kg, ECHA	
		10470 mg/kg, ECHA	
Skin corrosion/irritation	Not expected to be a primary skin irritant.		
Exposure minutes	Not available.		
Erythema value	Not available.		
Oedema value	Not available.		
Serious eye damage/eye	Causes serious eye irritation.		
rritation			
Corneal opacity value	Not available.		
Iris lesion value	Not available.		
Conjunctival reddening value	Not available.		
Conjunctival oedema value	Not available.		
Recover days	Not available.		
Respiratory or skin sensitization			
Respiratory sensitization	Not a respiratory sensitizer.		
Skin sensitization	This product is not expected to cause skin sensitization.		
Mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.		
Carcinogenicity	Ethanol is not considered to be a carcinogenic component for this product. The product is not an alcoholic beverage for consumption.		
OSHA Specifically Regulated Not listed.	d Substances (29 CFR 1910.1001-1052)		
Reproductive toxicity	This product is not expected to cause reproductive	or developmental effects.	
eratogenicity	Not available.		
Specific target organ toxicity - single exposure	May cause drowsiness and dizziness.		
Specific target organ toxicity - repeated exposure	Not classified.		

Aspiration hazard Chronic effects Not an aspiration hazard. Prolonged inhalation may be harmful.

		12. Ecological information	on	
Ecotoxicity	See below			
Ecotoxicological data Components		Species	Test Results	
Ethanol (CAS 64-17-5)		opecies		
Crustacea	EC50	Daphnia	11744.5 mg/L, 48 Hours	
Aquatic				
Crustacea	EC50	Water flea (Daphnia magna)	7.7 - 11.2 mg/L, 48 hours	
Fish	LC50	Fathead minnow (Pimephales	promelas) > 100 mg/L, 96 hours	
Persistence and degradability	No data is av	ailable on the degradability of any	y ingredients in the mixture.	
Bioaccumulative potential				
Mobility in soil	No data avail	able.		
Mobility in general	Not available.	Not available.		
Other adverse effects			ozone depletion, photochemical ozone creation g potential) are expected from this component.	
		13. Disposal consideratio	ons	
Disposal instructions	contents/cont	ainer in accordance with local/re	iners at licensed waste disposal site. Dispose of gional/national/international regulations.	
Local disposal regulations	Dispose in ac	cordance with all applicable regu	llations.	
Hazardous waste code	disposal com	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.		
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).			
Contaminated packaging		Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or		
		14. Transport informatio	on	
Transport of Dangerous Goods (TDG) Proof of Classification		oods Regulations. If applicable, t	, Sections 2.1 $-$ 2.8 of the Transportation of the technical name and the classification of the	
U.S. Department of Transportati	ion (DOT)			
Basic shipping requirement				
UN number	UN1170			
Proper shipping name Hazard class	Ethanol 3			
Packing group	3 II			
Marine pollutant	Yes			
Special provisions	24, IB2, T4, TP1			
Packaging exceptions	4b, 150			
Transportation of Dangerous Go	-	anada)		
Basic shipping requirement				
UN number	UN1170			
Proper shipping name Hazard class	ETHANOL with more than 24% ethanol, by volume			
Packing group				
DOT				
FLAMMABLE LIQUID				



## 15. Regulatory information

Canadian federal regulations	This product is not subject to the Hazardous Products Act (HPA) Part II (Hazardous Products) as per paragraph 12(j); Schedule 1 (Non-Application of Part II). This restriction states that Part II does not apply in respect of the sale or importation of anything listed in Schedule 1 which includes any pest control product as defined in subsection 2(1) of the Pest Control Products Act, any explosive as defined in section 2 of the Explosives Act, any cosmetic, device, drug or food, as defined in section 2 of the Food and Drugs Act, any consumer product as defined in section 2 of the Canada Consumer Product Safety Act and any wood or product made of wood.
	Exempt - Registered product - (NPN 80098208).
	Adults and children over 2 years: For occasional and personal domestic use. Supervise children when they use this product. Rub thoroughly into hands for at least 30 seconds. Allow to dry.
	Medicinal ingredient: Isopropyl Alcohol (Isopropanol) Uses: • Antiseptic skin cleanser • Antibacterial cleanser • Kills harmful bacteria and germs
	Warnings: For external use only. When using this product avoid contact with eyes. If contact occurs, rinse thoroughly with water. Stop use and ask a doctor if irritation develops. Keep out of reach of children. If swallowed, call a poison control center or get medical help right away. Flammable! Keep away from open flame and sources of heat.
Canada NPRI VOCs with Ac	ditional Reporting Requirements: Mass reporting threshold/Identification Number
Ethanol (CAS 64-17-5)	1 TONNES
Export Control List (CEPA	1999, Schedule 3)
Not listed.	
Greenhouse Gases	
Not listed.	
Precursor Control Regulation	ons
Not regulated.	
WHMIS 2015 Exemptions	Not applicable
US federal regulations	This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.
TSCA Section 12(b) Export	Notification (40 CFR 707, Subpt. D)
Not regulated. CERCLA Hazardous Substa	ance List (40 CFR 302.4)
Not listed.	
SARA 304 Emergency relea	use notification
Not regulated. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)	
Not listed.	
Superfund Amendments and Re	eauthorization Act of 1986 (SARA)
SARA 302 Extremely hazardous substance	No
Classified hazard categories	Flammable (gases, aerosols, liquids, or solids) Serious eye damage or eye irritation Specific target organ toxicity (single or repeated exposure)
SARA 313 (TRI reporting) Not regulated.	
Other federal regulations	
U U	n 112 Hazardous Air Pollutants (HAPs) List
Not regulated. Clean Air Act (CAA) Section	n 112(r) Accidental Release Prevention (40 CFR 68.130)
Not regulated.	

US state regulations	See below				
US - California Hazardous Substances (Director's): Listed substance					
Ethanol (CAS 64-17-5) Listed.					
US - Illinois Chemical	Safety Act: Listed substan	ice			
Ethanol (CAS 64-7	17-5)				
US - Louisiana Spill F	Reporting: Listed substance	9			
Ethanol (CAS 64-2	17-5)	Listed.			
US - Minnesota Haz S	Subs: Listed substance				
Ethanol (CAS 64-2	17-5)	Listed.			
US - Texas Effects So	reening Levels: Listed sub	stance			
Ethanol (CAS 64-	17-5)	Listed.			
US. Massachusetts R	TK - Substance List				
Ethanol (CAS 64-	17-5)				
	er and Community Right-to	o-Know Act			
Ethanol (CAS 64-	17-5)				
•	orker and Community Right-	-to-Know Law			
Ethanol (CAS 64-	17-5)				
US. Rhode Island RT	ĸ				
Ethanol (CAS 64-	17-5)				
US. California Proposition	n 65				
-		and developmental hazard when it is i	ngested as an alcoholic beverage.		
Inventory status					
Country(s) or region	Inventory name		On inventory (yes/no)*		

	Country(s) or region	Inventory name On Inventory	(yes/no)^
	Canada	Domestic Substances List (DSL)	Yes
	Canada	Non-Domestic Substances List (NDSL)	No
	United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes
*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)			

LEGEND		
Severe	4	
Serious	3	
Moderate	2	
Slight	1	
Minimal	0	

Disclaimer

HEALTH * 2	3
FLAMMABILITY 3	2 0
PHYSICAL HAZARD 0	
PERSONAL PROTECTION	
	· · · · · · ·

16. Other information

Information contained herein was obtained from sources considered technically accurate and reliable. While every effort has been made to ensure full disclosure of product hazards, in some cases data is not available and is so stated. Since conditions of actual product use are beyond control of the supplier, it is assumed that users of this material have been fully trained according to the requirements of all applicable legislation and regulatory instruments. No warranty, expressed or implied, is made and supplier will not be liable for any losses, injuries or consequential damages which may result from the use of or reliance on any information contained in this document.

Issue date	27-January-2021
Version #	02
Effective date	27-January-2021
Further information	Not available.
Other information	For an updated SDS, please contact the supplier/manufacturer listed on the first page of the document.