

## 1. Identification

**Product identifier**                      **Kwiky Antiseptic Hand Sanitizer Gel**

**Other means of identification**

**Synonyms**                                NPN 80015455

**Recommended use**                      Hand sanitizer

**Recommended restrictions**        None known.

**Manufacturer/Importer/Supplier/Distributor information**

**Manufacturer**

**Company name**                      maxill Inc.  
    **Address**                                 80 Elm Street  
   St. Thomas, ON N5R 6C8  
   Canada

**Telephone**                            519-631-7370  
   Fax: 519-631-3388  
   Website: maxill.com

**E-mail**                                 Not available.

**Emergency phone number**        Velocity EHS 1-800-255-3924  
   Velocity EHS +01-813-248-0585  
   (Emergency Response)

**Supplier**                                 See above.

## 2. Hazard identification

**Physical hazards**                      Flammable liquids                                Category 3

**Health hazards**                        Serious eye damage/eye irritation        Category 2  
   Specific target organ toxicity, single exposure    Category 3 narcotic effects

**Environmental hazards**            Not classified.

**WHMIS 2015 defined hazards**    Not classified

**Label elements**



**Signal word**                              Danger

**Hazard statement**                    Highly flammable liquid and vapor. Causes serious eye irritation. May cause drowsiness or dizziness.

**Precautionary statement**

**Prevention**                            Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container tightly closed. Ground and bond container and receiving equipment. Use explosion-proof electrical, ventilating and lighting equipment. Use non-sparking tools. Take action to prevent static discharges. Wear protective clothing, eye protection and face protection. Wash thoroughly after handling. Avoid breathing mist or vapor. Use only outdoors or in a well-ventilated area.

**Response**                            In case of fire: Use carbon dioxide, dry chemical, water spray, or foam to extinguish.  
   IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention.  
   IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor if you feel unwell.

**Storage**                                Keep cool. Store in a well-ventilated place. Keep container tightly closed. Store locked up.

**Disposal**                                Dispose of container in accordance with local, regional, national and international regulations.

**WHMIS 2015: Health Hazard(s) not otherwise classified (HHNOC)**    None known

**WHMIS 2015: Physical Hazard(s) not otherwise classified (PHNOC)**    None known

**Hazard(s) not otherwise classified (HNOC)**  
**Supplemental information**

None known.

Exempt - Registered product - (NPN 80015455).

This product is not subject to the Hazardous Products Act (HPA) Part II (Hazardous Products) as per paragraph 12(j); Schedule 1 (Non-Application of Part II).

This restriction states that Part II does not apply in respect of the sale or importation of anything listed in Schedule 1 which includes any pest control product as defined in subsection 2(1) of the Pest Control Products Act, any explosive as defined in section 2 of the Explosives Act, any cosmetic, device, drug or food, as defined in section 2 of the Food and Drugs Act, any consumer product as defined in section 2 of the Canada Consumer Product Safety Act and any wood or product made of wood.

### 3. Composition/Information on ingredients

#### Mixture

Chemical name	Common name and synonyms	CAS number	%
Isopropanol		67-63-0	60 - 80 *

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

#### Composition comments

US GHS: The exact percentage (concentration) of composition has been withheld as a trade secret in accordance with paragraph (i) of §1910.1200.

\*CANADA GHS: The exact percentage (concentration) of composition has been withheld as a trade secret.

### 4. First-aid measures

<b>Inhalation</b>	If symptoms develop move victim to fresh air. If symptoms persist, obtain medical attention.
<b>Skin contact</b>	Product intended to be used on skin.
<b>Eye contact</b>	Avoid contact with eyes. If contact occurs, rinse thoroughly with water.
<b>Ingestion</b>	Not intended for ingestion. Product is naturally bitter. If vomiting occurs naturally, have victim lean forward to reduce risk of aspiration. Rinse mouth. Obtain medical attention.
<b>Most important symptoms/effects, acute and delayed</b>	May cause drowsiness and dizziness. Headache. Nausea, vomiting. Causes serious eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision.
<b>Indication of immediate medical attention and special treatment needed</b>	Provide general supportive measures and treat symptomatically.
<b>General information</b>	If you feel unwell, seek medical advice (show the label where possible). Show this safety data sheet to the doctor in attendance. Avoid contact with eyes.

### 5. Fire-fighting measures

<b>Suitable extinguishing media</b>	Carbon dioxide. Water spray. Alcohol resistant foam. Dry chemical.
<b>Unsuitable extinguishing media</b>	Do not use water jet as an extinguisher, as this will spread the fire.
<b>Specific hazards arising from the chemical</b>	Vapors may form explosive mixtures with air. Vapors may travel considerable distance to a source of ignition and flash back. During fire, gases hazardous to health may be formed.
<b>Special protective equipment and precautions for firefighters</b>	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
<b>Fire-fighting equipment/instructions</b>	In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do so without risk.
<b>Specific methods</b>	Use standard firefighting procedures and consider the hazards of other involved materials.
<b>General fire hazards</b>	Highly flammable liquid and vapor.
<b>Hazardous combustion products</b>	May include and are not limited to: Oxides of carbon.

### 6. Accidental release measures

<b>Personal precautions, protective equipment and emergency procedures</b>	Keep unnecessary personnel away. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
--	---

**Methods and materials for containment and cleaning up**

Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil, etc.) away from spilled material. Take precautionary measures against static discharge. Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Following product recovery, flush area with water. Clean surface thoroughly to remove residual contamination. For waste disposal, see section 13 of the SDS.

**Environmental precautions**

Avoid discharge into drains, water courses or onto the ground. Do not discharge into lakes, streams, ponds or public waters.

---

## 7. Handling and storage

---

**Precautions for safe handling**

Do not handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. Avoid contact with eyes.

**Conditions for safe storage, including any incompatibilities**

Keep away from heat, sparks and open flame. Store in a cool, dry place out of direct sunlight. Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

---

## 8. Exposure controls/Personal protection

---

**Occupational exposure limits****Canada. Alberta OELs (Occupational Health & Safety Code, Schedule 1, Table 2)**

Components	Type	Value
Isopropanol (CAS 67-63-0)	STEL	984 mg/m <sup>3</sup> 400 ppm
	TWA	492 mg/m <sup>3</sup> 200 ppm

**Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended)**

Components	Type	Value
Isopropanol (CAS 67-63-0)	STEL	400 ppm
	TWA	200 ppm

**Canada. Manitoba OELs (Reg. 217/2006, The Workplace Safety And Health Act)**

Components	Type	Value
Isopropanol (CAS 67-63-0)	STEL	400 ppm
	TWA	200 ppm

**Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents)**

Components	Type	Value
Isopropanol (CAS 67-63-0)	STEL	400 ppm
	TWA	200 ppm

**Canada. Quebec OELs. (Ministry of Labor - Regulation respecting occupational health and safety)**

Components	Type	Value
Isopropanol (CAS 67-63-0)	STEL	1230 mg/m <sup>3</sup> 500 ppm
	TWA	983 mg/m <sup>3</sup> 400 ppm

**Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21)**

Components	Type	Value
Isopropanol (CAS 67-63-0)	15 minute	400 ppm
	8 hour	200 ppm

**US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)**

Components	Type	Value
Isopropanol (CAS 67-63-0)	PEL	980 mg/m <sup>3</sup> 400 ppm

**US. ACGIH Threshold Limit Values**

Components	Type	Value
Isopropanol (CAS 67-63-0)	STEL	400 ppm
	TWA	200 ppm

**US. NIOSH: Pocket Guide to Chemical Hazards**

Components	Type	Value
Isopropanol (CAS 67-63-0)	STEL	1225 mg/m3
		500 ppm
	TWA	980 mg/m3
		400 ppm

**Biological limit values****ACGIH Biological Exposure Indices**

Components	Value	Determinant	Specimen	Sampling Time
Isopropanol (CAS 67-63-0)	40 mg/L	Acetone	Urine	*

\* - For sampling details, please see the source document.

**Appropriate engineering controls**

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

**Individual protection measures, such as personal protective equipment****Eye/face protection**

Not normally required.

**Skin protection****Hand protection**

Not normally required when used as directed. When handling in large quantities or responding to emergency situations, the use of appropriate skin protection is recommended.

**Other**

As required by employer code.

**Respiratory protection**

Where exposure guideline levels may be exceeded, use an approved NIOSH respirator. Respirator should be selected by and used under the direction of a trained health and safety professional following requirements found in OSHA's respirator standard (29 CFR 1910.134), CAN/CSA-Z94.4 and ANSI's standard for respiratory protection (Z88.2).

**Thermal hazards**

Not applicable.

---

## 9. Physical and chemical properties

---

<b>Appearance</b>	Clear
<b>Physical state</b>	Liquid.
<b>Form</b>	Liquid.
<b>Color</b>	Not intended for ingestion. Product is naturally bitter.
<b>Odor</b>	Colorless
<b>Odor threshold</b>	Isopropanol
<b>pH</b>	Not available.
<b>Melting point/freezing point</b>	Not available.
<b>Initial boiling point and boiling range</b>	Not available.
<b>Pour point</b>	172.4 °F (78 °C)
<b>Specific gravity</b>	Not available.
<b>Partition coefficient (n-octanol/water)</b>	Not available.
<b>Flash point</b>	Not available.
<b>Evaporation rate</b>	66.2 °F (19.0 °C) Closed cup
<b>Flammability (solid, gas)</b>	Not available.
<b>Upper/lower flammability or explosive limits</b>	Not applicable.
<b>Flammability limit - lower (%)</b>	Not available.
<b>Flammability limit - upper (%)</b>	Not available.
<b>Explosive limit - lower (%)</b>	Not available.
<b>Explosive limit - upper (%)</b>	Not available.
<b>Vapor pressure</b>	Not available.
<b>Vapor density</b>	Not available.
<b>Relative density</b>	0.87
<b>Solubility(ies)</b>	Not available.

<b>Auto-ignition temperature</b>	Not available.
<b>Decomposition temperature</b>	Not available.
<b>Viscosity</b>	25000 cPs
<b>Other information</b>	
<b>Explosive properties</b>	Not explosive.
<b>Oxidizing properties</b>	Not oxidizing.

---

## 10. Stability and reactivity

---

<b>Reactivity</b>	This product may react with strong oxidizing agents.
<b>Possibility of hazardous reactions</b>	No dangerous reaction known under conditions of normal use.
<b>Chemical stability</b>	Material is stable under normal conditions.
<b>Conditions to avoid</b>	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Do not mix with other chemicals.
<b>Incompatible materials</b>	Strong oxidizing agents. Acids.
<b>Hazardous decomposition products</b>	May include and are not limited to: Oxides of carbon.

---

## 11. Toxicological information

---

<b>Routes of exposure</b>	Eye, Skin contact, Inhalation, Ingestion.
<b>Information on likely routes of exposure</b>	
<b>Ingestion</b>	Not intended for ingestion. Product is naturally bitter. May cause stomach distress, nausea or vomiting.
<b>Inhalation</b>	May cause drowsiness and dizziness. Headache. Nausea, vomiting. Prolonged inhalation may be harmful.
<b>Skin contact</b>	No adverse effects due to skin contact are expected.
<b>Eye contact</b>	Causes serious eye irritation.
<b>Symptoms related to the physical, chemical and toxicological characteristics</b>	May cause drowsiness and dizziness. Headache. Nausea, vomiting. Causes serious eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision.

### Information on toxicological effects

**Acute toxicity** Not known.

Components	Species	Test Results
Isopropanol (CAS 67-63-0)		
<b>Acute</b>		
<i>Dermal</i>		
LD50	Rabbit	13900 mg/kg, ECHA
<i>Inhalation</i>		
LC50	Rat	25000 mg/m <sup>3</sup> , 6 Hours, ECHA 16970 mg/l/4h, HMIRA
<i>Oral</i>		
LD50	Rat	5840 mg/kg, ECHA

**Skin corrosion/irritation** Not expected to be a primary skin irritant.

**Exposure minutes** Not available.

**Erythema value** Not available.

**Oedema value** Not available.

**Serious eye damage/eye irritation** Causes serious eye irritation.

**Corneal opacity value** Not available.

**Iris lesion value** Not available.

**Conjunctival reddening value** Not available.

**Conjunctival oedema value** Not available.

**Recover days** Not available.

### Respiratory or skin sensitization

**Respiratory sensitization** Not a respiratory sensitizer.

<b>Skin sensitization</b>	This product is not expected to cause skin sensitization.
<b>Mutagenicity</b>	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.
<b>Carcinogenicity</b>	Not classified.
<b>OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)</b>	
Not listed.	
<b>Reproductive toxicity</b>	This product is not expected to cause reproductive or developmental effects.
<b>Teratogenicity</b>	Not available.
<b>Specific target organ toxicity - single exposure</b>	May cause drowsiness and dizziness.
<b>Specific target organ toxicity - repeated exposure</b>	Not classified.
<b>Aspiration hazard</b>	Not an aspiration hazard.
<b>Chronic effects</b>	Prolonged inhalation may be harmful.

## 12. Ecological information

<b>Ecotoxicity</b>	See below		
<b>Ecotoxicological data</b>			
<b>Components</b>		<b>Species</b>	<b>Test Results</b>
Isopropanol (CAS 67-63-0)			
Algae	IC50	Algae	1000 mg/L, 72 Hours
Crustacea	EC50	Daphnia	13299 mg/L, 48 Hours
<b>Aquatic</b>			
Fish	LC50	Bluegill ( <i>Lepomis macrochirus</i> )	> 1400 mg/L, 96 hours
<b>Persistence and degradability</b>	No data is available on the degradability of any ingredients in the mixture.		
<b>Bioaccumulative potential</b>			
<b>Mobility in soil</b>	No data available.		
<b>Mobility in general</b>	Not available.		
<b>Other adverse effects</b>	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.		

## 13. Disposal considerations

<b>Disposal instructions</b>	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.
<b>Local disposal regulations</b>	Dispose in accordance with all applicable regulations.
<b>Hazardous waste code</b>	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
<b>Waste from residues / unused products</b>	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
<b>Contaminated packaging</b>	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

## 14. Transport information

<b>Transport of Dangerous Goods (TDG) Proof of Classification</b>	Classification Method: Classified as per Part 2, Sections 2.1 – 2.8 of the Transportation of Dangerous Goods Regulations. If applicable, the technical name and the classification of the product will appear below.
---	--

### Transportation of Dangerous Goods (TDG - Canada)

#### Basic shipping requirements:

- |                             |                            |
|-----------------------------|----------------------------|
| <b>UN number</b>            | • UN1993                   |
| <b>Proper shipping name</b> | • FLAMMABLE LIQUID, N.O.S. |

TDG



## 15. Regulatory information

This product is not subject to the Hazardous Products Act (HPA) Part II (Hazardous Products) as per paragraph 12(j); Schedule 1 (Non-Application of Part II). This restriction states that Part II does not apply in respect of the sale or importation of anything listed in Schedule 1 which includes any pest control product as defined in subsection 2(1) of the Pest Control Products Act, any explosive as defined in section 2 of the Explosives Act, any cosmetic, device, drug or food, as defined in section 2 of the Food and Drugs Act, any consumer product as defined in section 2 of the Canada Consumer Product Safety Act and any wood or product made of wood.

Exempt - Registered product - (NPN 80015455).

### Canada NPRI VOCs with Additional Reporting Requirements: Mass reporting threshold/Identification Number

Isopropanol (CAS 67-63-0) 1 TONNES

### Export Control List (CEPA 1999, Schedule 3)

Not listed.

### Greenhouse Gases

Not listed.

### Precursor Control Regulations

Not regulated.

### WHMIS 2015 Exemptions

Not applicable

### US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

### TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

### CERCLA Hazardous Substance List (40 CFR 302.4)

Isopropanol (CAS 67-63-0) Listed.

### SARA 304 Emergency release notification

Not regulated.

### OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not listed.

**Superfund Amendments and Reauthorization Act of 1986 (SARA)**

<b>SARA 302 Extremely hazardous substance</b>	No
<b>Classified hazard categories</b>	Flammable (gases, aerosols, liquids, or solids) Serious eye damage or eye irritation Specific target organ toxicity (single or repeated exposure)

**SARA 313 (TRI reporting)**

Chemical name	CAS number	% by wt.
Isopropanol	67-63-0	60 - 80 *

**Other federal regulations**

**Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List**

Not regulated.

**Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)**

Not regulated.

**US state regulations** See below

**US - California Hazardous Substances (Director's): Listed substance**

Isopropanol (CAS 67-63-0) Listed.

**US - Illinois Chemical Safety Act: Listed substance**

Isopropanol (CAS 67-63-0)

**US - Louisiana Spill Reporting: Listed substance**

Isopropanol (CAS 67-63-0) Listed.

**US - Minnesota Haz Subs: Listed substance**

Isopropanol (CAS 67-63-0) Listed.

**US - Texas Effects Screening Levels: Listed substance**

Isopropanol (CAS 67-63-0) Listed.

**US. Massachusetts RTK - Substance List**

Isopropanol (CAS 67-63-0)

**US. New Jersey Worker and Community Right-to-Know Act**

Isopropanol (CAS 67-63-0)

**US. Pennsylvania Worker and Community Right-to-Know Law**

Isopropanol (CAS 67-63-0)

**US. Rhode Island RTK**

Isopropanol (CAS 67-63-0)

**US. California Proposition 65**

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

**Inventory status**


Country(s) or region	Inventory name	On inventory (yes/no)*
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

**16. Other information**

LEGEND	
Severe	4
Serious	3
Moderate	2
Slight	1
Minimal	0

<b>HEALTH</b>	/ 2
<b>FLAMMABILITY</b>	3
<b>PHYSICAL HAZARD</b>	0
<b>PERSONAL PROTECTION</b>	X



**Disclaimer**

Information contained herein was obtained from sources considered technically accurate and reliable. While every effort has been made to ensure full disclosure of product hazards, in some cases data is not available and is so stated. Since conditions of actual product use are beyond control of the supplier, it is assumed that users of this material have been fully trained according to the requirements of all applicable legislation and regulatory instruments. No warranty, expressed or implied, is made and supplier will not be liable for any losses, injuries or consequential damages which may result from the use of or reliance on any information contained in this document.

**Issue date** 2024-07-30

**Version #** 04

**Effective date**

2024-07-30

**Further information**

Not available.

**Other information**

For an updated SDS, please contact the supplier/manufacturer listed on the first page of the document.