maxill
1-800-268-8633

◄ Tear Here

Vinoxx™ by maxill

DIN 02342316

Ready To Use Towelettes

HARD SURFACE DISINFECTANT | GERMICIDAL CLEANER

FAST ACTING **CLEANS & DEODORIZES**

BACTERICIDAL • VIRUCIDAL*
when used as directed

Active Ingredients

Alkyl (40%, C_{12}; 50%, C_{14}; 10%, C_{16}) dimethyl benzyl ammonium chlorides ..... 0.3% w/w

CAUTION

- Eye Irritant
- Keep out of reach of children
- For external use only




ITEM 61162R

REFILL TOWELETTES, 6" x 7" • 15 cm x 18 cm

INSTITUTIONAL USE ONLY | READ LABEL BEFORE USING

maxill

REFILLS



1. Remove the Refill roll from the bag.
2. Place the Refill roll inside your empty towelette container.
3. Pour excess liquid from the bag onto the roll in the container.
4. Pull up a corner of the first towelette from the centre of the roll and push through the 'X' in the lid.
5. Replace lid tightly on the towelettes container.
6. Replace the calendar on the lid with the blank one supplied with each pouch.

PRODUCT DESCRIPTION

Vinoxx towelettes provide low level hard surface disinfection and are designed for use in dental and medical clinics, hospitals, nurseries, nursing homes, institutional kitchens and schools where disinfection and prevention of cross-contamination is of prime importance. Vinoxx is safe for use on non-porous environmental hard and washable surfaces, such as counters, trays, tables, walls, etc. Vinoxx is safe for use on non-porous, washable, non-critical medical devices such as bedpans, dental chairs, surgical light handles, etc. Vinoxx will not stain or leave grit or soap scum. Non-abrasive Vinoxx is formulated for use in daily maintenance programs with a balance of detergents, disinfectants, and malodour ingredients that deliver effective cleaning, disinfecting and malodour control.

PRODUCT INFORMATION

Vinoxx towelettes will sanitize (provides a 99.9 % reduction) hard and non-porous non-food contact surfaces according to the method for Sanitizers - Non Food Contact Surfaces, modified in the presence of 5% blood serum, in 30 seconds against:

- *Enterobacter aerogenes*
- *Staphylococcus aureus (Staph)*
- *Salmonella enterica (Salmonella)*
- *Streptococcus pyogenes (Strep)*
- *Escherichia coli 0157:H7 (pathogenic strain) (E. coli)*
- *Enterococcus faecalis (Vancomycin resistant) (VRE)*

Vinoxx towelettes provide complete bactericidal activity against:

- *Pseudomonas aeruginosa*
- *Salmonella enterica*
- *Staphylococcus aureus*

***Vinoxx towelettes provide complete virucidal activity against:**

- *Human Immunodeficiency Virus type 1 (HIV-1)***
- *Influenza A/Hong Kong (Influenza)*

DIRECTIONS FOR USE

Vinoxx towelettes are ready to use. Do not add water or other chemicals to the container.
Test product on an inconspicuous area first to ensure the disinfectant is compatible with the surface (e.g. no discoloration, etc.) Preclean the surface by wiping with a towelette to remove organic and other soils. Dispose of towelette. To disinfect the precleaned surface, apply Vinoxx liberally, by wiping the surface with a towelette until the surface is thoroughly wet. Ensure the surface remains wet for at least 1 minute at Room Temperature. Then wipe the surface dry. Once opened, the unused portion of the product may be stored in the container for up to 90 days until used. Ensure the flip top lid is kept fully closed between uses.

****This product is intended for use against HIV-1 in settings where the virus would be expected to be encountered, such as settings where contamination by blood or body fluid is likely.**

Contact Time/Concentration: Vinoxx is effective against HIV-1 in the presence of 5% blood serum with a 30 second contact time.

Personal Protection: Personnel that clean items soiled with blood or body fluids must wear appropriate personal protective equipment (i.e., barrier protection), such as disposable gloves, gowns, masks or eye coverings.

Cleaning: Target surfaces must be cleaned prior to disinfection, because the presence of heavy soil on a surface may reduce the intended disinfectant efficacy of the product.

Infectious Materials Disposal: Any materials used in the cleaning process that may contain blood or body fluids are to be disposed of immediately in accordance with local regulations for infectious materials disposal.

Refer to Directions for Use.

PRECAUTIONS

CAUTION: Causes eye irritation. Avoid contact with eyes, skin or clothing. Avoid contact with foods.

FIRST AID

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 – 20 minutes.
Call a Poison Control Center or doctor for treatment advice. Have the product container or label with you when calling a Poison Control Center or doctor or going for treatment.

NOTE TO PHYSICIAN

Probable mucosal damage may contraindicate the use of gastric lavage.

STORAGE

Store closed in container at Controlled Room Temperature.

DISPOSAL

Dispose of the packaging in accordance with municipal and provincial requirements. For information on spills and for clean up of spills or the disposal of unused, unwanted product, consult the SDS or contact maxill or the Provincial Regulatory Agency.

Made in Canada with domestic and imported parts.

maxill
St. Thomas, ON, Canada N5R 6C8
www.maxill.com 1-800-268-8633

Cleaning Care for Dental Chairs

In addition to disinfecting, a cleaning protocol is required by the chair manufacturer.
Call **1-800-268-8633** for more information.
www.maxill.com/ca/chaircare

REV.2018/03
6070561162R