maxill®

OHIO FORGE®

Burs and Diamonds

PRODUCT CATALOGUE

www.maxill.com • 1-800-268-8633



Table of contents

Carbide Burs **3**
- Force Resistant Solid Carbide Burs 3
- Metal Cutting Cavity Preparation Carbide Burs 5
- Trimming & Finishing Carbide Burs 5
- Precision Trimming & Finishing Carbide Burs 6
- Zekrya Burs Carbide Burs 6

Endodontic Access **7**
- Endodontic Access Carbide Burs 7

Ohio Forge Polishers **8**

Laboratory Burs **10**
- Zirconium Nitride Coated Lab Cutters 10

Diamond Burs **12**
- Single-Patient-Use Diamond Burs 12
- Multi-Patient-Use Diamond Burs 14
- Zirconia Cutting Burs Diamond Burs 19

Visit maxill.com to shop online or download a current price list.

CANADA
maxill.com/**ca**/ohio-forge

USA
maxill.com/**us**/ohio-forge

Force Resistant Solid

CARBIDE BURS



STERILE R **SINGLE-PATIENT-USE**

Available in: 25 Rolls of 25 **and** 10 Rolls of 10

Ohio Forge Carbide Burs are manufactured under strict guidelines to ensure consistent, high-quality performance. Only high-grade raw materials are used providing maximum strength and durability. The blade design, angles and concentricity of the bur deliver powerful cutting performance and consistent quality. This results in a well-balanced carbide that delivers minimal vibration and maximizes performance and comfort for you and your patient.





Round	1	2	3	4	5	6	7	8
Sterile FG (25 pcs - Roll)	OPFG0015	OPFG0001	OPFG0013	OPFG0005	OPFG0016	OPFG0022	-	OPFG0012
Sterile RA (25 pcs - Roll)	-	OPRA0004	OPRA0005	OPRA0001	OPRA0006	OPRA0002	OPRA0008	OPRA0003
Sterile HP (10 pcs - Roll)	-	-	-	-	-	OPHP0004	-	OPHP0005





Pear	330	331	332
Sterile FG (25 pcs - Roll)	OPFG0002	OPFG0019	OPFG0014
Sterile FGSS (25 pcs - Roll)	OPFG0007	-	-





Inverted Cone	35
Sterile FG (25 pcs - Roll)	OPFG0017





Straight / Flat End Plain	58
Sterile FG (25 pcs - Roll)	OPFG0026





Straight/Flat End Cross Cut	556	557	558	560
Sterile FG (25 pcs - Roll)	OPFG0021	OPFG0003	OPFG0011	-
Sterile HP (10 pcs - Roll)	-	-	-	OPHP0008











Taper / Flat End Cross Cut	700	701	702	703
Sterile FG (25 pcs - Roll)	OPFG0025	OPFG0008	OPFG0018	-
Sterile HP (10 pcs - Roll)	OPHP0001	OPHP0002	OPHP0006	OPHP0003









Straight / Round End Cross Cut Fissure	1557	1558
Sterile FG (25 pcs - Roll)	OPFG0009	OPFG0010



















Surgical & Endodontic Length	2	4	6	557	558	1557	700	701
Sterile FGSL (10 pcs - Roll)	SLFG0004	SLFG0003	SLFG0005	SLFG0001	SLFG0006	SLFG0007	SLFG0009	SLFG0008
Sterile RASL (10 pcs - Roll)	-	SLRA0001	SLRA0002	-	-	-	-	-







Surgical & Endodontic Length	702	1703
Sterile FGSL (10 pcs - Roll)	SLFG0002	-
Sterile HP (10 pcs - Roll)	-	OPHP0007









Straight / Round End Plain	1156	1157	1158
Sterile FG (25 pcs - Roll)	OPFG0024	OPFG0020	OPFG0023





Amalgam Prep	245
Sterile FG (25 pcs - Roll)	OPFG0004
Sterile FGSS (25 pcs - Roll)	OPFG0006

Metal Cutting Cavity Preparation

CARBIDE BURS

Save chair time with technically advanced blade geometry and force resistant carbide for faster, longer lasting metal cutting. Remove up to the three PFMs with one Bur.

STERILE | R **SINGLE-PATIENT-USE**





Pear	330
Sterile FGMC (25 pcs - Roll)	MCFG0005





Straight Fissure	1557
Sterile FGMC (25 pcs - Roll)	MCFG0004







Straight Flat End Fissure	557	558
Sterile FGMC (25 pcs - Roll)	MCFG0002	MCFG0006







Restoration Removal	1 (331)	2 (1558)
Sterile FGMC (25 pcs - Roll)	MCFG0003	MCFG0001

Trimming & Finishing

CARBIDE BURS

Enjoy powerful cutting performance for faster finishes and polishes. The unique spiral design provided better contact with the cutting surface allowing for a smoother finish with less vibration.

STERILE | R **SINGLE-PATIENT-USE**









Egg	7378 (12 Blade)	7379 (12 Blade)	9406 (30 Blade)
Sterile FG (10 pcs - Roll)	FBFG0018	FBFG0006	FBFG0016









Needle	7901 (12 Blade)	7902 (12 Blade)	7903 (12 Blade)
Sterile FG (10 pcs - Roll)	FBFG0001	FBFG0007	FBFG0005







Football	7406 (12 Blade)	7408 (12 Blade)
Sterile FG (10 pcs - Roll)	FBFG0002	FBFG0011





Bullet	9803 (12 Blade)
Sterile FG (10 pcs - Roll)	FBFG0017





Taper	7664 (12 Blade)
Sterile FG (10 pcs - Roll)	FBFG0015






CFT	CFT3
Sterile FG (10 pcs - Roll)	FBFG0009

Precision Trimming & Finishing

CARBIDE BURS

Multi-bladed finishing instruments ideal for contouring and finishing subgingival and interproximal composite margins with a non-cutting rounded tip that prevents damage to the sub-gingival margin and tissue.

STERILE R **SINGLE-PATIENT-USE**









Safe End Series	SE3-10	SE6-10	SE9-10
10 Blade Sterile (10 pcs - Roll)	FBFG0003	FBFG0008	FBFG0004
20 Blade Sterile (10 pcs - Roll)	FBFG0014	FBFG0012	FBFG0010

Zekrya Burs

CARBIDE BURS

Zekrya Burs provide exceptionally smooth cutting and enhanced efficiency for oral surgery procedures. Ohio Forge Zekrya Burs deliver exceptional concentricity and reduced vibrations.


STERILE R **SINGLE-PATIENT-USE**








Zekrya Burs - Sterile FG (10 pcs)	OSFG0001	OSFG0002
Length (mm)	28	23
Head Length (mm)	11	11
Tip Diameter (mm)	0.8	0.8
Head Diameter (mm)	1.6	1.6



Endodontic Access Burs

ENDODONTIC ACCESS



STERILE R **SINGLE-PATIENT-USE**

Available in: 10 Rolls of 10

Ohio Forge Endodontic Burs are designed for lateral endodontic access enlargement. The safe-end, non-cutting tip prevents penetration of the pulp chamber floor or the root canal walls and prohibits access from getting deeper while still allowing for lateral expansion.






Access Bur	ESE-014
Item #	EAFG0001
Quantity	10 pcs - Roll
Head Length (mm)	9.0
Max Head Diameter (mm)	1.4
LOA (Overall Length mm)	24.0





Access Bur	ESE-018
Item #	EAFG0002
Quantity	10 pcs - Roll
Head Length (mm)	9.0
Max Head Diameter (mm)	1.8
LOA (Overall Length mm)	24.0



Ohio Forge
Polishers



POLISHERS

MULTI-PATIENT-USE

Available in: 3 per box

Select the right match of polisher to restoration for smooth, finished restorative surfaces. Choose the task-specific Ohio Forge polishing system that best suits your clinical needs for composite, porcelain or metal. All Ohio Forge Polishers are right-angle latch-type.



 **Supreme - Composite 1 Step Universal Polishing System**	 Flame	 Cup	 Knife Edge	 Small Flame
RA (3 pcs - box)	CPRA0001	CPRA0003	CPRA0002	CPRA0004
 **P3S - Coarse Porcelain & Metal 3-Step Polishing System**	 Coarse Flame	 Coarse Cup	 Coarse Knife Edge	 Coarse Small Flame
RA (3 pcs - box)	PPRA0001	PPRA0002	PPRA0003	PPRA0004
 **P3S - Medium Porcelain & Metal 3-Step Polishing System**	 Med. Flame	 Med. Cup	 Med. Knife Edge	 Med. Small Flame
RA (3 pcs - box)	PPRA0005	PPRA0006	PPRA0007	PPRA0008
 **P3S - Fine Porcelain & Metal 3-Step Polishing System**	 Fine Flame	 Fine Cup	 Fine Knife Edge	 Fine Small Flame
RA (3 pcs - box)	PPRA0009	PPRA0010	PPRA0011	PPRA0012



Zirconia - Alumina 2-Step Universal Polishing System	Med. Flame	Med. Cup	Med. Knife Edge	Med. Small Flame
RA (3 pcs - box)	ZPRA0002	ZPRA0003	ZPRA0004	ZPRA0001



Zirconia - Alumina 2-Step Universal Polishing System	Fine Flame	Fine Cup	Fine Knife Edge	Fine Small Flame
RA (3 pcs - box)	ZPRA0006	ZPRA0007	ZPRA0008	ZPRA0005



Zirconia - Alumina 2-Step Universal Polishing System	Medium Flame	Fine Flame
FG (3 pcs - box)	ZPFG0001	ZPFG0002





Polishers Supreme Composite 1-Step Universal Polishing System
4 Pc. Kit in Autoclave Bur Block
Kit Includes (1 of each):

CPRA0001 Universal Flame	CPRA0002 Universal Knife Edge	CPRA0003 Universal Cup	CPRA0004 Universal Small Flame

CPKT0001



Polishers P3S Porcelain & Metal 3-Step Polishing System
12 Pc. Kit in Autoclave Bur Block
Kit Includes (1 of each):

PPRA0001 Coarse Flame	PPRA0002 Coarse Cup	PPRA0003 Coarse Knife Edge	PPRA0004 Coarse Small Flame
PPRA0005 Medium Flame	PPRA0006 Medium Cup	PPRA0007 Medium Knife Edge	PPRA0008 Medium Small Flame
PPRA0009 Fine Flame	PPRA0010 Fine Cup	PPRA0011 Fine Knife Edge	PPRA0012 Fine Small Flame

PPKT0001

Zirconium Nitride
Coated Lab Cutters

LABORATORY BURS



MULTI-PATIENT-USE

Available in: 1 (1 Single)

Ohio Forge Zirconium Nitride Coated Lab Cutters are constructed with tungsten carbide heads and stainless steel shanks. The extremely hard cutting surfaces of 2,800 Vickers provide durability and longevity and the abrasion resistance reduces surface heat for a cooler more consistent surface finish. Ohio Forge laboratory burs are available in a broad selection of shapes, sizes and grits.


GE - Bulk Cross Cut






Series ISO Shape	GE 275
Ohio Forge Number	LBHP0014
ISO Grit	220
Head Diameter	060
Head Length (mm)	14
Colour Band	
Max Speed	20K
SSW Number	GW251-060GE-4
Brasseler Number	H251GE.11.060
Edenta Number	5450.060HP

E - Regular Cross Cut





Series ISO Shape	E 143	E 198	E 199	E 200	E 200
Ohio Forge Number	LBHP0018	LBHP0010	LBHP0022	LBHP0003	LBHP0016
ISO Grit	190	190	190	190	190
Head Diameter	060	040	023	040	050
Head Length (mm)	13	8	11.5	13	13
Colour Band					
Max Speed	20K	30K	40K	30K	30K
SSW Number	GW72-060E-4	GW351-040E-4	GW261-023E-4	GW79-040E-4	GW79-050E-4
Brasseler Number	H72E.11.060	H351E.11.040	H261E.11.023	H79E.11.040	H79E.11.050
Edenta Number	5810.060HP	6210.040HP	0110.023HP	5710.040HP	-



Series ISO Shape	E 200	E 237	E 237	E 237	E 237	E 273	E 275	E 277	E 289
Ohio Forge Number	LBHP0009	LBHP0007	LBHP0006	LBHP0015	LBHP0017	LBHP0019	LBHP0002	LBHP0012	LBHP0020
ISO Grit	190	190	190	190	190	190	190	190	190
Head Diameter	060	023	029	040	060	040	060	040	023
Head Length (mm)	13	5.5	5.5	9	11	9	14	6	8
Colour Band									
Max Speed	20K	40K	40K	30K	20K	30K	20K	30K	40K
SSW Number	GW351-060E-4	GW77-023E-4	GW77-029E-4	GW77-040E-4	GW77-060E-4	GW251-040E-4	GW251-060E-4	GW73-040E-4	GW139-023E-4
Brasseler Number	H351E.11.060	H77E.11.023	H77E.11.029	H77E.11.040	H77E.11.060	H251E.11.040	H251E.11.060	H73E.11.040	H139E.11.023
Edenta Number	5210.060HP	7710.023HP	7710.029HP	-	7010.060HP	7210.040HP	5410.060HP	-	0810.023HP


EF - Fine Cross Cut






Series ISO Shape	EF 141	EF 187	EF 200	EF 275
Ohio Forge Number	LBHP0021	LBHP0023	LBHP0013	LBHP0001
ISO Grit	140	140	140	140
Head Diameter	023	023	040	060
Head Length (mm)	8	15	13	14
Colour Band				
Max Speed	40K	40K	30K	20K
SSW Number	GW129-023EF-4	GW257-023EF-4	GW79-040EF-4	GW251-060EF-4
Brasseler Number	H129EF.11.023	H257EF.11.023	H79EF.11040	H251EF.11.060
Edenta Number	1720.023HP	0620.023HP	5720.040HP	5420.060HP

GSQ Cross Cut






Series ISO Shape	199	200	200	201	275
Ohio Forge Number	LBHP0008	LBHP0024	LBHP0005	LBHP0011	LBHP0004
ISO Grit	172	172	172	172	172
Head Diameter	023	040	060	070	060
Head Length (mm)	11.5	13	13	14	14
Colour Band					
Max Speed	40K	30K	20K	20K	20K
SSW Number	GW261-023GSQ-4	GW79-040GSQ-4	GW351-060GSQ-4	GW79-070GSQ-4	GW251-060GSQ-4
Brasseler Number	H261GSQ.11.023	H79GSQ.11.040	H79GSQ.11.060	H79GSQ.11.070	H251GSQ.11.060
Edenta Number	0175.023HP	-	5275.060HP	-	7275.060HP



Single-Patient-Use

DIAMOND BURS



STERILE R **SINGLE-PATIENT-USE**

Available in: 25 Rolls of 25

Ohio Forge Single-Use Diamonds offer quality and consistency providing the feel of a new diamond cut with each patient. Significantly increase the preparation quality and eliminate the time consuming expense of sterilization and the worry of cross contamination. All Single-Use Diamonds are sold in rolls of 25 individually pre-sterilized diamonds.







Pointed Football	368-021	368-023
Diameter (mm)	2.1	2.3
Head Length (mm)	4.5	5.0
Coarse	DSFG0012	DSFG0032







Football	379-018	379-023
Diameter (mm)	1.8	2.3
Head Length (mm)	3.4	4.2
Super Coarse	-	DSFG0010
Coarse	-	DSFG0003
Medium	-	DSFG0025
Fine	DSFG0033	DSFG0004





Mosquito Nose	392-016
Diameter (mm)	1.6
Head Length (mm)	4.5
Very Fine	DSFG0036










Round	801-014	801-016	801-023
Diameter (mm)	1.4	1.6	2.3
Head Length (mm)	1.3	1.5	2.2
Coarse	DSFG0039	DSFG0030	DSFG0026
Medium	-	DSFG0031	-






Pear	830-012
Diameter (mm)	1.2
Head Length (mm)	3.0
Tip Diameter (mm)	1.2
Coarse	DSFG0009
Medium	DSFG0035







Flat End Taper	847-016	847-018
Diameter (mm)	1.6	1.8
Head Length (mm)	8.0	8.0
Tip Diameter (mm)	1.0	1.2
Super Coarse	-	DSFG0028
Coarse	DSFG0027	DSFG0018


















Round End Taper	850-016	850-018	856-014	856-016	856-018	856-020	856-021	856-025
Diameter (mm)	1.6	1.8	1.4	1.6	1.8	2.0	2.1	2.5
Head Length (mm)	10.0	10.0	8.0	8.0	8.0	8.0	8.0	8.0
Tip Diameter (mm)	1.0	1.1	0.8	1.0	1.2	1.4	1.5	1.9
Super Coarse	-	-	-	DSFG0006	DSFG0005	-	DSFG0029	-
Coarse	DSFG0014	DSFG0021	DSFG0015	DSFG0002	DSFG0001	DSFG0017	DSFG0037	DSFG0041
Medium	-	-	-	DSFG0022	-	-	-	-
Fine	-	-	-	DSFG0023	DSFG0024	-	-	-
Coarse S (Short Shank)	-	-	-	DSFG0013	DSFG0007	-	-	-






Needle	858-014
Diameter (mm)	1.4
Head Length (mm)	8.0
Tip Diameter (mm)	0.5
Coarse	DSFG0011







Flame	862-012	862-014
Diameter (mm)	1.2	1.4
Head Length (mm)	8.0	8.0
Tip Diameter (mm)	0.35	0.45
Coarse	DSFG0038	DSFG0016
Medium	-	DSFG0019
Fine	DSFG0040	-





Beveled Cylinder	885-012
Diameter (mm)	1.2
Head Length (mm)	8.0
Tip Diameter (mm)	0.45
Coarse	DSFG0008







Wheel	909-040	909-042
Diameter (mm)	4.0	4.2
Head Length (mm)	1.2	1.2
Coarse	DSFG0034	DSFG0020



Multi-Patient-Use


DIAMOND BURS




STERILE R **MULTI-PATIENT-USE**

Available in: 10 Rolls of 10

Ohio Forge Multi-Use Diamonds are designed with a dense 3-layer uniform diamond matrix that enables a greater number of diamond particles to be in direct contact with the tooth surface. This provides a smooth feel, superior cutting efficiency and a long instrument life.





KS	KS-0	KS-1	KS-3
Diameter (mm)	1.0	1.2	1.6
Head Length (mm)	7.0	7.0	8.0
Tip Diameter (mm)	1.0	1.2	1.6
Super Coarse	-	DMFG0027	DMFG0132
Medium	DMFG0082	-	-





Pointed Football	368-016	368-023
Diameter (mm)	1.6	2.3
Head Length (mm)	3.2	5.0
Super Coarse	-	DMFG0087
Coarse	DMFG0084	DMFG0076
Fine	DMFG0124	DMFG0085





Football	868-024	379-018	379-023
Diameter (mm)	2.4	1.8	2.3
Head Length (mm)	5.0	3.4	4.3
Super Coarse	-	-	DMFG0042
Coarse	DMFG0004	DMFG0119	DMFG0023
Fine	-	DMFG0120	DMFG0048





Mosquito Nose	392-016
Diameter (mm)	1.6
Head Length (mm)	5.0
Fine	DMFG0037
Very Fine	DMFG0035





Round	801-010	801-014	801-016	801-018	801-021	801-023
Diameter (mm)	1.0	1.4	1.6	1.8	2.1	2.3
Head Length (mm)	1.0	1.4	1.6	1.8	2.1	2.3
Super Coarse	-	-	DMFG0099	-	-	-
Coarse	DMFG0098	DMFG0047	DMFG0088	DMFG0001	DMFG0003	DMFG0104
Medium	DMFG0066	DMFG0017	-	DMFG0016	DMFG0012	-
Fine	-	-	-	-	-	DMFG0141



Inverted Cone	805-012	805-014	805-016
Diameter (mm)	1.2	1.4	1.6
Head Length (mm)	1.5	1.5	1.5
Tip Diameter (mm)	1.2	1.4	1.6
Coarse	DMFG0097	DMFG0116	DMFG0061




Barrel	811-033	811-037
Diameter (mm)	3.3	3.7
Head Length (mm)	5.5	7.0
Tip Diameter (mm)	1.8	2.0
Super Coarse	DMFG0077	DMFG0091
Coarse	DMFG0125	-



Pear	830-010	830-012
Diameter (mm)	1.0	1.2
Head Length (mm)	3.0	3.0
Tip Diameter (mm)	1.0	1.2
Coarse	DMFG0014	DMFG0029
Medium	-	DMFG0067




Tri-Wheel Depth Cutter	834-021
Diameter (mm)	2.1
Head Length (mm)	6.0
Tip Diameter (mm)	0.5
Medium	DMFG0111




Flat End Cylinder Shoulder (Straight Cylinder)	835-009	835-010	836-012	836-014	837-012	837-014	837-016
Diameter (mm)	0.9	1.0	1.2	1.4	1.2	1.4	1.6
Head Length (mm)	3.0	3.0	6.0	6.0	8.0	8.0	8.0
Tip Diameter (mm)	0.9	1.0	1.2	1.4	1.2	1.4	1.6
Coarse	DMFG0050	DMFG0053	DMFG0043	DMFG0086	DMFG0026	DMFG0051	DMFG0062
Medium	-	DMFG0136	-	-	-	-	-




Cylinder	845KR-018
Diameter (mm)	1.8
Head Length (mm)	4.0
Tip Diameter (mm)	1.2
Coarse	DMFG0064




Flat End Cone	847-014	847-016	847-018
Diameter (mm)	1.4	1.6	1.8
Head Length (mm)	8.0	8.0	8.5
Tip Diameter (mm)	0.8	1.0	1.2
Coarse	DMFG0068	DMFG0031	DMFG0030






Flat End Taper	848-016	848-018
Diameter (mm)	1.6	1.8
Head Length (mm)	10.0	10.0
Tip Diameter (mm)	1.0	1.0
Coarse	DMFG0052	DMFG0083





Modified Shoulder	847KR-016
Diameter (mm)	1.6
Head Length (mm)	8.5
Tip Diameter (mm)	1.0
Super Coarse	DMFG0080
Coarse	DMFG0049
Fine	DMFG0100





Round End Taper	850-014	850-016	854-021
Diameter (mm)	1.4	1.6	2.1
Head Length (mm)	10.0	10.0	10.0
Tip Diameter (mm)	0.8	1.0	1.5
Coarse	DMFG0089	DMFG0138	DMFG0018






Christmas Tree	852-010	852-012
Diameter (mm)	1.0	1.2
Head Length (mm)	6.0	6.0
Tip Diameter (mm)	0.5	1.0
Coarse	DMFG0121	DMFG0056
Fine	-	DMFG0129
Very Fine	-	DMFG0039





Round End Taper	854-016	855-012	855-016	855-018	855-025	856-014	856-016	856-018	856-021	856-025
Diameter (mm)	1.6	1.2	1.6	1.8	2.5	1.4	1.6	1.8	2.1	2.5
Head Length (mm)	10	6.0	6.0	6.0	7.0	8.0	8.0	8.0	8.0	8.0
Tip Diameter (mm)	1	0.6	0.8	1.2	1.6	0.8	1.0	1.2	1.5	1.9
Super Coarse	-	-	-	-	DMFG0065	-	DMFG0033	DMFG0021	DMFG0060	DMFG0101
Coarse	DMFG0010	DMFG0118	DMFG0092	-	-	DMFG0113	DMFG0002	DMFG0006	DMFG0122	-
Medium	-	-	-	-	-	-	DMFG0069	DMFG0073	-	-
Fine	-	-	-	-	-	-	DMFG0038	DMFG0058	DMFG0081	-
Super Coarse S (Short Shank)	-	-	-	-	-	-	DMFG0130	DMFG0105	-	-
Coarse S (Short Shank)	-	-	-	DMFG0112	-	-	-	DMFG0139	-	-






Round End Taper-Long	856L-014	856L-016	856L-018	856L-020
Diameter (mm)	1.4	1.6	1.8	2.0
Head Length (mm)	9.0	9.0	9.0	9.0
Tip Diameter (mm)	0.8	1.0	1.2	1.5
Super Coarse	DMFG0102	DMFG0072	DMFG0126	-
Coarse	DMFG0054	DMFG0093	DMFG0090	DMFG0094






Needle	858-008	858-012	858-014	858-016	859-010	859-016	859-018
Diameter (mm)	0.8	1.2	1.4	1.6	1.0	1.6	1.8
Head Length (mm)	8.0	8.0	8.0	8.0	10.0	10.0	10.0
Tip Diameter (mm)	0.3	0.3	0.5	0.6	0.25	0.6	0.8
Super Coarse	-	-	DMFG0055	-	-	-	-
Coarse	-	-	DMFG0036	DMFG0133	DMFG0024	DMFG0028	DMFG0142
Medium	DMFG0140	-	DMFG0109	-	-	-	-
Fine	DMFG0127	DMFG0095	DMFG0034	-	DMFG0131	DMFG0044	-
Very Fine	-	-	-	-	-	DMFG0020	-
Coarse S (Short Shank)	-	-	DMFG0074	-	-	-	-






Flame	860-012	862-010	862-012	862-014	862-016	863-012	863-014	868-018	868-021
Diameter (mm)	1.2	1.0	1.2	1.4	1.6	1.2	1.4	1.8	2.1
Head Length (mm)	4.0	8.0	8.0	8.0	8.0	10.0	10.0	5.0	5.0
Tip Diameter (mm)	0.45	0.35	0.35	0.35	0.45	0.45	0.45	0.45	0.2
Coarse	DMFG0137	DMFG0096	DMFG0013	DMFG0022	DMFG0110	DMFG0025	-	DMFG0063	DMFG0005
Fine	DMFG0070	DMFG0123	DMFG0019	-	-	-	DMFG0117	-	-
Very Fine	-	-	DMFG0059	-	-	-	-	-	DMFG0045
Ultra Fine	-	-	DMFG0103	-	-	-	-	-	-






Modified Beveled Cylinder	878-012
Diameter (mm)	1.2
Head Length (mm)	8.0
Tip Diameter (mm)	1.2
Super Coarse	DMFG0128







Curettage	878K-014	879K-016
Diameter (mm)	1.4	1.6
Head Length (mm)	8.0	9.5
Tip Diameter (mm)	1.1	1.2
Super Coarse	-	DMFG0078
Medium	DMFG0134	-







Round End Cylinder	881-012	881-014
Diameter (mm)	1.2	1.4
Head Length (mm)	8.0	8.0
Tip Diameter (mm)	1.2	1.4
Coarse	DMFG0008	DMFG0057










Bevel Cylinder	885-014	885-016	886-016
Diameter (mm)	1.4	1.6	1.6
Head Length (mm)	8.0	8.0	10.0
Tip Diameter (mm)	0.45	0.45	0.45
Coarse	DMFG0041	DMFG0106	DMFG0075





Acorn	905-027
Diameter (mm)	2.7
Head Length (mm)	2.9
Tip Diameter (mm)	0.3
Medium S (Short Shank)	DMFG0071





Flame	888-012
Diameter (mm)	1.2
Head Length (mm)	8.0
Tip Diameter (mm)	0.3
Fine	DMFG0114





Finishing	7901-009
Diameter (mm)	0.9
Head Length (mm)	3.7
Fine	DMFG0079









Wheel	909-035	909-040	909-042
Diameter (mm)	3.5	4.0	4.2
Head Length (mm)	1.2	1.3	1.7
Coarse	DMFG0011	-	DMFG0007
Super Coarse S (Short Shank)	-	DMFG0108	-
Coarse S (Short Shank)	-	DMFG0107	-





Micro Prep	Fiss Original
Diameter (mm)	1.1
Head Length (mm)	2.5
Tip Diameter (mm)	0.4
Fine	DMFG0115

Ohio Forge
Zirconia Cutting Burs



DIAMOND BURS

SINGLE-PATIENT-USE

Available in: 10 Rolls of 10

Ohio Forge Zirconia Cutting Diamonds are made using an advanced bonding process with fine grit synthetic diamond particles that enhances particle coverage. This process provides strength, durability and superior cutting efficiency. Quickly access or remove a zirconia crown while saving valuable chair time and cutting material costs.



Type	Round End Taper	Round	Round	Football
ID Number	856-018	801-014	801-018	379-023
Ohio Forge Number	ZRFG0001	ZRFG0002	ZRFG0003	ZRFG0004
Quantity	10 pcs - Roll	10 pcs - Roll	10 pcs - Roll	10 pcs - Roll
Head Length (mm)	8.0	1.3	1.7	4.2
Max Head Diameter (mm)	1.8	1.4	1.8	2.3
LOA - Overall Length (mm)	22.0	19.0	19.0	19.0



Ohio Forge Zirconia Cutting Diamonds 4 Pc. Kit in Autoclave Bur Block
Kit Includes (1 of each):

ZRFG0001 Round End Taper	ZRFG0003 Round
ZRFG0002 Round	ZRFG0004 Football

ZRKT0001





maxill®
www.maxill.com

80 Elm Street,
St. Thomas, Ontario
N5R 6C8, Canada
fax: 519-631-3388
tel: 519-631-7370

500 W. Main Street,
Cortland, Ohio
USA 44410
fax: 330-637-1154
tel: 1-855-462-9455

Questions? Call us today

1-800-268-8633